

Facilities Services

Asbestos Containing Ceiling List

Effective 7-1-24 to 6-30-25

Asbestos Containing Ceiling Tile

Building	Location
FH	2 X 4 Lay in – Rooms 204, 204A, 216, 217, B,C-H, 401A
FH	1 x 1 Ceiling Tile Adhesive (ceiling tile is not)
NSB	1 st Floor-Rooms 100 (all rooms), 101(all rooms), 103, 105, 109, Hallways 110, 115 2 nd Floor-Rooms 201B, 201G, 202, 207, 211, 212, Hallways 217, 218, 219 Stairwell 215 and 220
RC	Acoustic Rooms 2 nd Floor-transite
RC	1 x 1 Ceiling Tile Adhesive (ceiling tile is not)
VIT	2 x 4 Lay in – Room 103 (cold shop area)

Asbestos Containing Acoustic Ceilings

Building	Location
BON	Rooms 183 (Circus Room)
FSA	Rooms 020/156 (mechanical room)
FH	Room 324-S.E.A.T. (often considered part of Metcalf)
JG	Rooms: 113, 114, 123, 124, 125, 126, 127, 128, 129,130, 130A,131, 133, 134, 135
MLS	ANY ACOUSTIC/TEXTURED CEILING (classrooms, teacher offices)
WIH	9,13, 13A, 30(hall), 117, 118, 119, 142(hall), 214, 215, 216, 217, 229(hall),
OU	2 nd floor North/South hallway, 206, 217, 301, 308 (mech. room), 309, 310, stairwell ceilings **all acoustic/textured ceilings should be assumed to be asbestos containing.

Asbestos Containing Fireproofing

Building	Location
HOV	Spray on – East basement mech. room ceiling (above S-5 only)

Please contact the EHS Asbestos Program Coordinator at **309-438-8326** prior to beginning work to verify location to be disturbed or cleaned.

Environmental Health and Safety
202 Nelson Smith Building, Campus Box 1320
Phone: 309-438-8325 Fax: 309-438-3086

WATER LEAK (INVOLVING CEILING)

FACILITIES MANAGEMENT

In the event of a water leak that involves a ceiling, immediate action is required to determine if the ceiling is asbestos containing material.

PROCEDURE

TIME
COMPLETED

1. Determine if ceiling is on the Asbestos Containing Ceiling List.
2. If you are not sure notify Environmental Health and Safety at 309-438-8325 (during off hours contact the on-call safety officer via ISUPD at 309-438-8631).

NON-ASBESTOS CONTAINING CEILING

TIME
COMPLETED

Notify the following individuals:

1. Facilities Management Work Management 309-438-5656.
2. Heating Plant 309-438-5516.
3. If the leak is considered a major water leak notify the on-call Safety Officer.
 - a. A major water leak is defined as leaks that could be caused by a roof leak, plumbing pipe, sprinkler system failure, and/or heating and cooling systems in which water floods one or more rooms. A major water leak is water leaking out of multiple electrical fixtures; damaging ceilings, furnishings and/or equipment in the rooms.

ASBESTOS CONTAINING CEILING

Notify the following individuals:

1. Facilities Management Work Management 309-438-5656.
2. Heating Plant 309-438-5516.
3. Environmental Health and Safety at 309-438-8325 (during off hours contact the on-call safety officer via ISUPD at 309-438-8631).

Procedure:

1. Do not enter room.
2. Turn off water (remotely, even if you need to shut down all of building).
3. Secure room if possible.
4. Cordon off area with "Danger – Do Not Enter/Authorized Personnel Only" signage.
5. Building occupants should be notified of water outage and appropriate signage installed.